

Precision and competence by tradition

delivery program **2018/19**

introduction

We have a reason to celebrate!

Korn-Optik Adlerauge turns 60.
Time to pause and look back.

60 years ago, watchmaker and optician Benno Lindner founded the family business. He was also the one who invented the optical front sight ADLERAUGE. The generally used name of the product today as "Adlerauge" goes back to this first optical front sight. With the development of the Adlerauge, the protected company name "Adlerauge" was created.

The Adlerauge has become a well known brand and common name among sport shooters, which is not least due to the commitment of Mrs. Marianne Lassen-Lindner, who led the company until her death in 2010. Under her leadership, groundbreaking products were launched on the market, which today are indispensable in shooting sports.

Mrs. Karin Lassen-Bauer leads the company successfully in the third generation, supported by Mr. Bernhard Titz, who completes the Korn-Optik team as authorized signatory.

Tradition is important. Only from the experience of tradition innovation is possible.


The Adlerauge has evolved. Today there is the modern Adlerauge with optical lenses made of high quality acrylic glass in unprecedented quality and precision. New developments from our company, such as the TOP 50 Sight, have found their firm place among sport shooters.

We have achieved a lot in the past 60 years. And we still have a lot to do.

Individual advice and personal customer care are a matter of course for us. We are proud that all Korn-Optik products are marked with a quality label, where the customer realizes that it is the original Korn-Optik Adlerauge quality.





Our modern production facilities, on a high technology standard, allow us new interesting developments for the future in the well known best quality standard. We work with laser technology that promises the highest precision. Due to our flexible production method we are able to offer also individual production or small series.

Tradition and precision, quality and craftsmanship, experience that allows something new - all this has been part of the philosophy of Korn-Optik Adlerauge for generations. You can rely on that in the future as well.



contents

introduction.....	02
Adlerauge optical front sights.....	04
transparent front sights.....	10
Adlerauge Sight	13
special transparent front sights.....	14
special sights.....	16
TOP 50 Sight.....	17
sight base.....	18
PRO LUX 3D.....	19
PRO LUX 40.....	20
Visio 15	22
Visor extension <i>ConLux</i>	23
screws and accessories.....	24
front sights for match pistols.....	28
our brand.....	31



Adlerauge



Exclusive at Korn-Optik ADLERAUGE: The Adlerauge of the new generation with optical lenses made of plastic

- the lenses are hydrophobically coated
- no fogging with temperature fluctuations
- prevents dirt and dust adhesion
- unbreakable
- refractive index 1.498 - CR39 material
- convex-concave lenses sanded from the eyeglass lens
- hard layer coated to prevent scratches
- the broadband coating consists of 7 layers with green residual reflection
- the reflection reduction is 99.8%
- laser centered grinded, therefore best accuracy

Each Adlerauge is installed manually and focus visually, flanged or screwed.
The original you know of our Adlerauge cachet.




optical front sight

Korn-Optik ADLERAUGE only uses in the future optical plastic lenses.

- Because the advantages compared to conventional glass lenses lie in the special construction of the plastic lenses. By the lotus effect they do not fog. Dirt and dust adhesion is prevented, and through the integrated hard layer they are scratch resistant.
- Because the seven layers of superdepellent there is a sensational reflex reduction of 99.8%.
- Because we process the lenses in the usual quality as you know from us know. We are convinced of the success of the new lenses.

Korn-Optik ADLERAUGE has consciously decided to process only plastic lenses in the future

- Because we are always up-to-date for you.
- Because we only want to deliver the very best quality.
- Because our experience shows when it is time for something new.





Art. S 1410, S 1413, S 1417

For thread M18

For FWB 601, Hämmerli, Steyr, Weihrauch KK
lens - \varnothing 14 mm

Art. S 1410.....dpt. 0.50

Art. S 1413.....dpt. 0.30

Art. S 1417.....dpt. 0.75



Art. S 1420, S 1423, S 1475

For FWB 601, Hämmerli, Suhl
lens - \varnothing 16 mm
Knurled screw \varnothing 20 mm

Art. S 1420dpt. 0.50

Art. S 1423dpt. 0.30

Art. S 1475dpt. 0.75

Universal. For M18 thread
lens - \varnothing 16 mm

Art. S 1320dpt. 0.50

Art. S 1323dpt. 0.30

Art. S 1375dpt. 0.75



Art. S 1320, S 1323, S 1375

Short screw with female thread
lens - \varnothing 16 mm

Art. S 1820dpt. 0.50

Art. S 1823dpt. 0.30

Art. S 1875dpt. 0.75

Also available in red and blue.
For order please add r or b to Art.No



Art. S 1820, S 1823, S 1875

For thread M22

For FWB 602, C62, 2602, 603
lens - \varnothing 18 mm

Art. S 2420dpt. 0.50

Art. S 2423dpt. 0.30

Art. S 2475dpt. 0.75

short screw with female thread
lens - \varnothing 18 mm

Art. S 2420I...dpt. 0.50

Art. S 2423I...dpt. 0.30

Art. S 2475I...dpt. 0.75

Also available in red and blue.
For order please add r or b to Art.No.



Art. S 2420, S 2423, S 2475



Art. S 2420I, S 2423I, S 2475I

For thread M17

For Walther LG, old model, Diana, Weihrauch LG
lens - \varnothing 14 mm

Art. S 1310.....dpt. 0.50

Art. S 1313.....dpt. 0.30

Art. S 1317.....dpt. 0.75

Lens in setting without thread
lens - \varnothing 14 mm

external diameter 16 mm

Art. S 1000dpt. 0.50

Art. S 1003dpt. 0.30

Art. S 1075dpt. 0.75



Art. S 1310, S 1313, S 1317



Art. S 1000, S 1003, S 1075

Adlerauge Korn-Optik

Information about the use of optical front sights

Based on inquire of various ISSF countries the following is founded:

Optical sight tools in the front sight are allowed to use for private training only, purposes in all countries, but not for international ISSF competitions, or any official ISSF training sessions.

It does not contradict to ISSF rules using an optical front sight for national competitions, if it is provided by national federation.

It is allowed to use optical front sights for personal training purposes in each country, but not on a way to use an optical front sight for official ISSF training parts or ISSF competitions.

We have presented and checked up our product Korn-Optik Adlerauge by the ISSF, according to their statement nothing speaks against a use in the private training area.

In Germany it is regulated by the DSB German shooting federation as followed:

It is allowed to use an optical front sight from age group (46 years) for national competitions.


The area of national popular sport is defeated not by the ISSF, but to national association of the countries.

To follow this regulation it is incumbent upon the responsibility of the single country.



Our recommendation for the use of transparent front sight and Adlerauge:

The higher the diopter of Adlerauge, the greater the diameter of reduction of front sight should be.



The offered diopter strengths are adapted to the claims of marksmen for all disciplines and increases the target

Adlerauge dpt	visor length	transparent front sight
	air rifle 10 m	
0.30	75 cm	4.4 - 4.9
0.50	75 cm	4.9 - 5.4
0.75	75 cm	6.0 - 6.3
0.30	95 cm	5.3 - 5.8
0.50	95 cm	6.0 - 6.5
0.75	95 cm	10.0 - 10.3
	Zimmerstutzen 15 m	
0.30	80 cm	4.2 - 4.7
0.50	80 cm	4.7 - 5.2
0.75	80 cm	7.0 - 7.3

Adlerauge dpt	visor length	transparent front sight
	KK50 m/ 100m	
0.30	80 cm	3.8 - 4.4
0.50	80 cm	4.2 - 4.7
0.75	80 cm	7.0 - 7.3
0.30	90 cm	4.2 - 4.8
0.50	90 cm	5.2 - 5.8
0.75	90 cm	9.0 - 9.3
0.30	100 cm	4.8 - 5.3
0.50	100 cm	5.8 - 6.4
0.75	100 cm	10.8 - 11.0

These information are intended as guides.

Adlerauge 28.5 mm „Goliath“

for long rifle; 1 1/4" thread; lens - ø 28.5 mm

Art. S 2825dpt. 0.50

Art. S 2823dpt. 0.30

Art. S 2875dpt. 0.75

Plastic dust cover for Adlerauge

Art. 1301for Art. S 1310, S 1410, S 1420

Art. 1401for Art. S 1320, S 1820

Art. 2401for Art. S 2420



Art. 2825, 2823, 2823

Top Product!

Adlerauge Compact M18 und M22

Clamping screw with built-in Adlerauge.

For M18 and M22 transparent front sight.

The Adlerauge is mounted in a special front sight screw for the transparent front sight.

This eliminates the screw for the transparent front sight.

The Adlerauge Compact is screwed to the marksmen side facing the front sight.

Each with internal thread for screwing a spirit level.

Diopter specifying seen by engraving on the screw.

With female thread.

Delivery without transparent front sight.

Thread M18, ø 16 mm

suitable for all transparent front sights no.15, C15, STC15

Art. S 1820C..dpt. 0.50

Art. S 1823C..dpt. 0.30

Art. S 1875C ..dpt. 0.75

Thread M22, ø 16mm

suitable for all transparent front sights No.18, C18, STC18

Art. S 2420C..dpt. 0.50

Art. S 2423C..dpt. 0.30

Art. S 2475C ..dpt. 0.75




Art. 1820C, 1823C, 1875C Adlerauge Compact




Art. 2420C, 2423C, 2475C Adlerauge Compact

Adlerauge Compact



transparent front sights



Transparent front sights: precise sight and best clarity

Our transparent front sights make sure maximum transparency for optimal viewing! Different colors provide accuracy in any light.

Renowned sporting weapons manufacturers rely on our product and equip their weapons as standard with our transparent front sights. Our in-house manufacturing ensures quality and makes special requests possible.

- we offer transparent front sights in more than 100 dimensions from 1.2 to 11.0
- wide color range
- fitting for every front sight tunnel, in different variations
- special front sights for every need.
- transparent front sights are produced exclusively by us

Transparent front sight

Art. 14


Ø 14/16 mm

For FWB 601

For clamp bolt, screw thread M18 or M17 (Walther)

Sizes: from 2.6 to 6.0, 1/10 graded

Colors: clear, red, light brown



Transparent front sight

For M18

Art. 15


Ø 15/17 mm

For all brands

We recommend: clamping screw art.no.20 and 22i and canting adjustment screw art.no.24/115.

Sizes: from 1.4 to 10.0, 1/10 graded

Colors: clear, red, light brown, yellow, green, light blue, orange




Sets:

Art. 15/155

5 transparent front sights art.18 in a box.

Colors as desired. Without screw.



Art. 15/180

10 transparent front sights art.18 with clamping screw art no.20 or 22i in a box. Colors as desired.



transparent front sights



Transparent front sight

For M22

Art. 18

Ø 18/20 mm

For screw M22.

We recommend: canting adjustment screw
art.no. 24/118 or art.no. 22/18

Sizes: from 2.6 to 11.0, 1/10 graded

Colors: clear, red, light brown, yellow, light blue, orange, pink!



Sets:

Art. 18/155

5 transparent front sights art.no.18 in a box.
Colors as desired. Without screw.

Art. 18/180

10 transparent front sights art.no.18 in a box.
Colors as desired. Without screw.



Transparent front sight Color Change

Transparent front sights in fluorescent color!
Depending on the light direction the color changes.

Yellow becomes pink.

Red becomes amethyst,

Green becomes yellow.

By adjusting the amount of light the eye is relieved.

Art. 15F for M18, in yellow, red or green

Art. 18F for M22, in yellow, red or green

Transparent front sight „Adlerauge Sight“

1. contrasting is placed in the transparent front sight.
2. two-surface-system: contrast surface and absorption area. Thus, there is no stray light stripe on the contrast surface, but even concentrically contrast on the whole contrast surface.
3. none parallax shift at view with diopter
4. absolute concentric seeing of the front sight hole
5. no ellipse formation at the hole when looking through the front sight with diopter.

Art. C15

M18 Ø 15/17 mm

Matching for all M18 front sight tunnel with clamping screw art. no.20, 22 or 22i or canting adjustment screw 24/115

Sizes: 2.2 - 10.0, 1/10 graded.

Other sizes available.

Colors: clear, red, yellow, blue, orange



All colors with black ring, width 1,5 mm

Sets:

Art. C15/155

5 transparent front sights art. no.C15, in a box. Color and sorting as desired

Art. C15/158

8 transparent front sights art.no. C15 with clamping screw art.no. 20 or art.no. 22i in a box. Color and sorting as desired

Art. C18

M22 Ø 18/20 mm

Matching for all front sight tunnel M22 with front sight holder screw and screw art.no. 24/118.

Sizes: 2.2 - 11.0, 1/10 graded. Other sizes available.

Colors: clear, red, yellow, blue, orange



All colors with black ring, width 1,5mm.


Sets:

Art. C18/155

5 transparent front sights art.no. C18 without screw in a box. Color and sorting as desired

Art. C18/180

10 transparent front sights art.no. C18 without screw in a box. Color and sorting as desired



Art. C15/18/25 clear. Fig. Bottom: Operating principle



Art. C15/18 color examples

special front sights



Art. STC

Contrast Sight Ø 15.2/17 mm

Art. STC 15

Contrast Sight special front sight Ø 15/17 mm
For threv M18

special front sight with metal insert

- blind- and reflection free.
- avoiding dazzling and reflection.
- constant ring size.

Sizes: 2.8 to 4.1, 1/10 graded
4.1 to 7.3, 2/10 graded

Colors: clear, red, yellow, blue



Art. STC Contrast Sight in different colors and sizes

Set Contrast Sight Ø 15.2/17 mm

Art. STC 15/9

Set Contrast Sight for M18 with clamping screw
art.no. 20

9 pieces in a plastic box.

Colour and size as desired.

Contrast Sight Ø 18/20 mm

Art. STC 18

Contrast Sight special front sight Ø 18/20 mm
For threv M22

Sizes: 2.8 to 4.1, 1/10 graded
4.1 to 7.3, 2/10 graded

Colors: clear, red, yellow, blue



Set Contrast Sight Ø 18/20 mm

Art. STC 18/9

Set Contrast Sight for M22

9 pieces in a plastic box.

Color and size as desired.

Angular front sight


With angular front sight target is rich in contrast. To do without different front sight sizes, also without manually adjustable front sight tunnel insertion. 8 possibilities of detent. Best for rested-shooting!

Art. 15Wfor M18 thread

Art. 18Wfor M22 thread

Color: clear/black

Use with: canting adjustment screw M18 (Art.24/15) or M22 (24/18) without bar



Art. 15/18W angular front sight

SUPER POINT front sight

Front sight with bar and luminous point.

The bars position is adjustable.

The light is bundled in a fiberglass channel, so the exactly adjusted target lights is illuminated. The SUPER POINT sight is plugged in easily and without a tool in the front sight tunnel.

From the German Shooting Federation (DSB) was officially approved for competition.

Art. TG18


Thread M18

Art. TG22

Thread M22



Art. TG18/TG22 Super Point



Art. TG18/TG22 Super Point

special sights



Accuracy and elegance: Sight TOP 50

TOP 50 is the sight for Champions and is used in the 1. Bundesliga and successful in European Championships and World Cups!

Our special sight offers the alternative to the traditional front sight system.

The front sight holders are easy to install and allow quick and precise change of transparent front sight and Adlerauge.

The TOP 50 system has no disturbing sight tunnel ring which distracts the eye. The target image is detected more quickly and centered, there are fewer targeting errors.

Suitable for the sight holder the front sight K25 was developed, with a diameter of 25 mm and a center ring for maximum contrast. Transparent front sight K25 can be supplied in the usual colors. The matching Adlerauge TOP A is passed into a acrylic glass ring.

sight TOP 50

Basic equipment TOP 50

Art. TOP K50

Front sight holder with transparent front sight and transparent empty ring. The empty ring relieves the eye and makes target acquisition easier.

The basic equipment includes:

- front sight holder
- transparent front sight K25 (color and size of your choice)
- empty ring to relieve the eye
- Allen wrench for changing components.

Complete Set TOP 50

Art. TOP A50

Front-sight holder with transparent front sight and Adlauge. Suitable for FWB, Walther, Anschuetz, Steyr, Hämmerli, Tesro, Grünig+Elmiger, Bleiker.

The Complete set includes:

- front sight holder
- transparent front sight K25 (color and size of your choice)
- Adlauge Top A25.

Please indicate the desired diopter strength.

- Allen wrench for changing components
- Please name type of weapon!

Transparent front sight for TOP 50

Art. K25

Transparent front sight TOP.

Outer diameter 25mm

With black ring, sized 1,5 mm

Size: 2.6 - 11.0, 1/10 graded.

Also available with 1,2 mm for
Size: 2.6 - 4.4, 1/10 graded.

Color: clear, red, yellow, blue, orange.



Art. K25B

Transparent front sight TOP with horizon.

Outer diameter 25mm

With black ring, sized 1,5 mm

Size: 2.6 - 11.0, 1/10 graded.

Also available with 1,2 mm for
Size: 2.6 - 4.4, 1/10 graded.

Color: clear, red, yellow, blue, orange.



Adlauge for TOP50

lens - ø 18 mm


Art. TOP AS2503 - Adlauge TOP, 0.30 dpt.

Art. TOP AS2505 - Adlauge TOP, 0.50 dpt.

Art. TOP AS2575 - Adlauge TOP, 0.75 dpt.

Cover for TOP A50

Art. M25 (ill.p.27)



Art. TOP K50 complete set with front sight holder, transparent front sight and empty ring



Art. TOP A50 complete set with front sight holder, transparent front sight and adlauge



Art. K25

Art. TOP AS2503, 2505, 2575 Adlauge



Art. K25B

diopter



Diopter and more

Our new Diopter PRO LUX 40 is the novelty in the field of sights and ensures the highest precision in all disciplines.

With the diopter PRO LUX 3D you choose a high-precision diopter at an attractive price. The production in Switzerland guarantees the precision that you have come to expect. Suitable for all weapons, the PRO LUX 3D is always the right choice, and can perfectly be extended with the Visio 15, the centering unit for light hood, also from Swiss production.

Another addition to the diopter, our innovative visor extension conlux that we have developed specifically to optimize the target image.

Diopter PRO LUX 3D

PRO LUX 3D, the precise, fine, varied, durable, universal diopter at an attractive price. Convincing through proven, reliable technology. High-quality production and processing in Switzerland.

- for 10, 50, 100 and 300 m
- 0-position on the knob
- suitable for both right and left-handed shooters
- 20 clicks
- swiveling
- avoid horizontal error when correcting the adjustment
- with thread M22/0.5 to screw accessories at the front
- durable because of disproportionate length of thread (M3)
- colored anodized
- suitable for large-caliber

Universal - fits most weapon brands

Art. PL3D-BB.....black/black

Art. PL3D-BL.....black/blue

Art. PL3D-BS.....black/silver

Art. PL3D-BRblack/red



Diopter Pro LUX 3D is best for Long
Range and crossbow

at a sight length of 800mm results the following shooting
distance:

1 raster correction	10 m = 0,31 mm
	30 m = 0,94 mm
	50 m = 1,56 mm
	100 m = 3,12 mm



Art. PL3D-BB



Art. PL3D-BL



Art. PL3D-BS



Art. PL3D-BR

exclusively w



Art. PL40-BB



Art. PL40-BL


Diopter PRO LUX 40 The novelty in the sights!

PRO LUX 40, our 40 click diopter is an absolute novelty in the sights. It convinces through proven, reliable technology and ensures the highest precision in all disciplines. Fits universally for all weapons.

- 40 clicks - 0.01 mm per click
 - 0 position on the rotary knob makes the fine adjustment easier
 - suitable for 10, 50, 100 and 300m for all common disciplines
 - suitable for right- and left-handed shooters
 - easy correction of the tilting
 - front side with thread M22x0.5 for mounting the centering unit „Visio 15“
 - backside with M9,5x1,0 thread suitable for all current iris diaphragms
 - extra large adjustment range of iris diaphragm
 - suitable for large-caliber
- | | |
|-----------------------|-------|
| • 0,1 mm per click on | 10 m |
| • 0,8 mm per click on | 50 m |
| • 1,6 mm per click on | 100 m |
| • 4,9 mm per click on | 300 m |



Extra large rotary knobs
in ergonomic design



Easy adjustment
of the canting



0 position on the rotary knob
makes the fine adjustment easier



diopter PRO LUX 40 in red



screw for vario 15

with us!

„Two features of the Diopters Pro Lux 40 convinced me. On the one hand the fine adjustment of 40 clicks (0.1 mm to 10 m) and on the other hand, the diopter can be swiveled.

I am a protege, who has not always dared to turn in the past. Now that the air gun is not just about rings but tenths, but you have to react sooner. By the 40 click of the Pro Lux 40, I now dare to take better corrections. For me the step to 40 click was a noticeable improvement.

Another advantage for me is that the diopter can be swiveled. I could not look at the screw for the height adjustment with my former diopter, so a pre-target over the diopter was not really possible. With the Pro Lux 40, this range of the diopters can be easily rotated to the desired position, so that the screw is no longer protruding above, but instead, e.g. under the diopter.

The conversion from my old diopter to the Pro Lux 40 ran smoothly. One has also quickly become accustomed to rotate more ratchets than the old diopter, in order to correct a certain distance to the ten.“

Amelie Kleinmanns SSV St. Hubertus Elsen e.V.
German Champion Team Air Rifle

Art. PL40-BB...black/black

Art. PL40-BL...black/blue

Art. PL40-BS...black/silver

Art. PL40-BR...black/red

Tipp:

The innovation for rested shooting ensures the highest precision in all disciplines!

Abb. Pro LUX 40 with mounted Visio 15





Art. Visio 15 black



Art. Visio 15 silver



Art. Visio 15 red



Art. Visio 15 blue

Visio 15

Center unit for lens hood to diopter
Pro Lux 3D

With female thread to install Iris, polarizing filters and transparent front sight

- robust and highly accurate center unit
- easy handling by same setting as the diopter Pro Lux.
- also suitable for large-caliber
- high quality production in Switzerland
- 20 click allows an extremely precise adjustment
- suitable for 10, 50, 100 und 300 meter.
- frontside with thread M15 x 0,5.
- rear side with thread M22 x 0,5.
- switchable for right or left using
- convincing with proven and reliable technology

Available in the following colors:
silver, red, blue, black

Made in Switzerland

Diopter PRO LUX 3D with
mounted Visio 15,
both in black/silver




Visor extension ConLux

The visor extension ConLux reduces the atrium between iris and front sight.


Benefits of ConLux:

- the target image is better centered.
- at the same time there are fewer target error between iris and front sight.
- readjustment of the target image is not needed, because no additional lens is required.
- with the visor extension ConLux is therefore a faster target image acquisition possible.

Without ConLux atrium between front sight tunnel and iris



With ConLux: smaller atrium between front sight tunnel and iris



Another advantage is that it is possible to introduce into the tube of ConLux a lens mount so that an optical system or a lens able to be integrated. Mounts on iris to the rear sight.

ConLux is an indispensable tool to improve the target image and can thus lead to faster target acquisition.



ConLux mounted on diopter PRO LUX 3D



Art. CL 14L (long) Art. CL 14K (short)

Available in two length

Art. CL 14K.....(short) fully assembled 5,5 cm

Art. CL 14L.....(long) fully assembled 7 cm

Art. CL 15.....ConLux with metal adapter for more stability




„short“ is best for rested-, lying- and kneeling shooting!



Art. CL 15 mounted on diopter PRO LUX 3D

screws and accessories



Screws and accessories

The sporting success is only as good as the smallest accessory.
The correct screw, that good diopter bag, that perfect front sight box.
Or the tool that is there when you need it.
The right detergent for perfect vision - all that decides on victory or defeat.
We have the necessary for success in sport shooting.

Clamping screw

To hold the transparent front sight.

Art. 20

Clamping screw for transparent front sight art.no.15, STC15, C15. Crimp \varnothing outside 20 mm screw thread M18.

Art. 22i

Clamping screw M18 with female thread, for transparent front sight art.no.15, STC15, C15. For Anschütz, Walther, Sauer an all popular brands.

NEW! Art. 22/18i

Clamping screw M22 with female thread, for transparent front sight art.no.18, STC18, C18. For Anschütz, Walther, Sauer an all popular brands.

Clamp bolt

Art. 22/18

Clamp bolt for FWB 602, 603 - screw thread M22, for transparent front sight art.no.18, STC18, C18.

Canting adjustment screw without bar

Art. 24/15

For all brands with thread M18 x 0.5. Against canting, the screw crimp is steplessly adjustable, to bring the transparent front sight in the right position.

Art. 24/18

For all brands with thread M22 x 0.5. The screw is screwed with the plugged-transparent front sight in the front sight tunnel. The transparent front sight screws knurled is stepless rotatable. The transparent front sight is brought into position, canting is prevented.

Canting adjustment screw with integrated bar

Screw thread M18 x 0.5

The screw crimp is steplessly adjustable, to fix the bar in the right position against canting.

Art. 24/115

For transparent front sight art.no.15, C15, STC 15, 15W, screw thread M18, for all front sights with M18 thread.

Art. 24/118

For transparent front sight art.no.18, C18, STC 18, screw thread M22. For all front sights with M22 thread.



Art. 22i clamping screw M18 with thread



Art. 22/18i clamping screw M22 with thread



Art. 24/15 canting adjustment screw without bar for M18



Art. 24/18 canting adjustment screw without bar for M18



Art. 24/115 canting adjustment screw with integrated bar for M18



Art. 24/118 canting adjustment screw with integrated bar for M22

screws and accessories



Art. Z50

Cover for the non-aiming eye

Art. Z50

Very simple and fast assembly of the eye aperture. The distance between the aperture and the eye is adjustable.

Less eye pressure after a prolonged process objective. Simple height adjustment to the tilting of the weapon. Because of the aperture distance between the eye and the iris there is enough space for the wind observation.



Art. D100 Diopter-Schutztaschen

Diopter cover

Art. D100

Our diopter sight cover are made of coated nylon material prevents fogging and contamination of the optics. Water-resistant and lint-free. Through a specially shaped foam core, the protective pocket perfectly all standard diopters adjusts. The diopter is also protected against surges.

Length: 12 cm

Available in different colors.

Colors as desired or on stock.

Personal labelling possible from 30 pcs.

In standard font without extra charge.



Art. D100 Diopter-Schutztaschen

Art. D100 XL

As art.no. D100 but in XL format.

Extra long, 16 cm

For diopter with special equipment.

Available in different colors.

Colors as desired or on stock.

Personal labelling possible from 30 pcs.

In standard font without extra charge.



Art. K100 Korntunnel-Schutztaschen

Front-sight Cover

Art. K100

One size for all brands, best fitting, variable in size, best hold. The fabric is waterproof, but air-transparent. The compartment avoids the foresight getting dirty. The Nylon-fabric is washable and fuzzy-free.

Also suitable for line of sight elevation.

Colors as desired or on stock.

Personal labelling possible from 30 pcs.

In standard font without extra charge.

SAFE BOX

Art. SX1

Stop the complicated handling with the adhesive tapes at your pellet boxes. With easy handling you have a safekeeping of your pellet box and your pellet box is secured against opening and damaging. Your logo printed is possible!

Bluebox

Storage for sights and optics. Made of high quality plastic. Shock-and impact-resistant. for sights, optics and accessories both sides covered with foam.

Art. BX-Q.....Blue Box square

115x115x40 mm (Dimension.LxWxH)

Art. BX-ML.....Blue Box medium

145x80x30 mm (Dimension.LxWxH)

Art. BX-LLBlue Box large

195x80x30 mm (Dimension.LxWxH)

Special detergent

Art. 10

Special detergent for transparent front sights and optical sights.

Cover for TOP A50


Metal cover for protection or against bright light. Easy to handle, simply put over the front sight holder! Available in black, red, blue and silver. Length 5 cm. Please tell desired colour!

Art. M25

5 cm length
For TOP A50



pistol front sights



Pistol front sights - clear or adjustable. How you like it!

Pistol front sights made by Korn-Optik Adlerrauge gives every marksman the right thing. Our hinged corn switch, a steel front sight with a matte finish to reduce reflection, is adjustable in two heights for duel and precision. Our pistol front sight Twist is a three way adjustable exchange front sight for attaching to a permanently mounted sight base.

Which Pistol front sight is just right for you?
Give it a try. We advise you!



Pistol front sight „Twist“

3-time adjustable front sight

Three different width in one aperture. Adjustable with a „click“! The new pistol front sight is adjustable without tool three-way in width. The front sight base is installed on the pistol, you need only attach the swiveling front sight (width 4.0/4.5/5.0).


- selectable in five different heights:
9.0 mm; 9.5 mm; 10.0 mm; 10.5 mm; 11.0 mm
- in black, red and yellow.
- the front sights for pistols are available for nearly all brands.

Please ask for further information!



front sight base for adjustable front sight „TWIST“			
brand of weapon	type of weapon	base width	art. no.
Walter	200/201/300/LP10	7 mm	PA-WSH
Steyr	LP1/LP5/LP10/LP50	7 mm	PA-WSH
Hämmerli	208/160/162/480/280/AP40	7 mm	PA-WSH
Benelli	M90S Cal.22	7 mm	PA-WSH
Anschütz	Anschütz air pistol	8 mm	PA-AN
Feinwerkbau	FWB with base LP44 und LP11		PA-44

adjustable front sight „TWIST“, suitable for all front sight bases		
height +	color +	width
Art. 3X900.....height 9.0 mm Art. 3X950.....height 9.5 mm Art. 3X100.....height 10.0 mm Art. 3X105height 10.5 mm Art. 3X110height 11.0 mm	black (S) red (R) yellow (G)	width A: 4.0/4.5/5.0



Pistol front sight „Switch“

Art. Switch

For Walther GSP, Hämmerli 280

Folding front sight made of steel for duel and precision. Stable and solid construction Adjustable by sophisticated mechanism without tools in height. Height: 8.5 mm and 9.8 mm




Art. Switch-R

Identical to Switch, but in red

For Walther GSP, Hämmerli 280

Folding front sight made of steel for duel and precision. Stable and solid construction Adjustable by sophisticated mechanism without tools in height. Height: 8.5 mm and 9.8 mm

errors excepted



The Korn-Optik Adlauge brand

Since 1958, there is already the Adlauge cachet. First it marks only the screws of our Adlauge optical front sights. That wasn't enough for us any longer. So you can be sure that you have actually acquired proven quality of Korn-Optik Adlauge, we mark all products, either on the packaging or on the product itself, so you can be sure to acquire first-class quality. Only where the Adlauge brand on it, an original Adlauge Korn-Optik product is inside!

Korn-Optik Adlauge e.K.

Karin Lassen-Bauer
Weilimdorfer Str.106
D-70469 Stuttgart
Tel.: 0711/81 64 12
Fax: 0711/81 64 10
e-mail: info@kornoptikadlauge.de
www.kornoptikadlauge.de



Sales by your trader